



Packaging Machinery, Inc.
 22831 Avenida Empresa
 Rancho Santa Margarita, CA 92688
 949-888-7221

APPLICATION DATA SURVEY

REQUEST FOR

QUOTATION
 ORDER
 SAMPLE TESTING
 CUSTOMER ORDER

TO: _____ DATE SUBMITTED: _____
 FROM: _____ DATE REQUIRED: _____
 DISTRIBUTOR: _____ CITY: _____
 SALES REP: _____ PHONE#: _____
 CUSTOMER NAME: _____ CONTACT: _____
 CUSTOMER ADDRESS: _____

ACCEPTANCE TEST DEMONSTRATION: NO YES (“NO”-WILL REQUIRE WRITTEN WAIVER)

DESCRIBE APPLICATION:

WRAP TYPE: SINGLE LAP SEAL FULL WRAP SHRINK
 MULTI-PACK SIDE SEAL SLEEVE WRAP BAG

...LIST ALL PACKAGES TO BE RUN...

	Item Description	L	W	H	DIA.	WEIGHT	RUN SPEED	SURGE SPEED
1								
2								
3								
4								
5								
6								
7								
8								

OTHER RELATIVE INFORMATION:

WRAPPER & TUNNEL MODELS UNDER CONSIDERATION:

COMPETITIVE CONSIDERATIONS:
 (MANUFACTURER/MODELS/ETC.)

IS PROJECT BUDGETED? YES NO \$LIMITATION: _____

ELECTRICAL REQUIREMENTS

MODEL: _____ - _____ VOLTS _____ PHASE _____ HZ
MODEL: _____ - _____ VOLTS _____ PHASE _____ HZ
ACTUAL LINE VOLTAGE: _____ VOLTS _____ PHASE _____ HZ (REQUIRED)

CROSS SEAL

- STD KNIFE SEAL BAR
- INSERT BARS
- OTHER _____

LONGITUDINAL SEAL

- SIDE SEAL
- STATIC THERMAL

FILM VENT HOLE TYPE

- POWER-PERF PERFORATOR
- OTHER

FILM PLOW TYPE

- ADJUST. INVERTER (SIDE-SEAL)
- FIXED

CROSS SEAL BRIDGE ASSEMBLY

REQUIRED FOR PRODUCTS LESS THAN 4" LONG

- NO YES

PRINT REGISTRATION

- NO YES

FILM MANUFACTURER: _____ FILM TYPE: _____ GAUGE: _____
SAMPLE FILM SHIPPED ON: _____ VIA: _____ TO: _____

SAMPLE PRODUCTS SHIPPED ON: _____ VIA: _____ TO: _____

ADDITIONAL OPTIONS AND ACCESSORIES:

ENVIRONMENTAL FACTORS

- POTENTIAL EXPLOSIVE DUST BUILD-UP NO YES _____
- POTENTIAL CORROSIVES NO YES _____
- HUMIDITY NO YES _____
- MOISTURE NO YES _____

ROOM TEMPERATURE: MAXIMUM _____ °F MINIMUM _____ °F TYPICAL _____ °F







DO YOU REQUIRE STAINLESS STEEL CONSTRUCTION & NEMA 4X ELECTRICAL

INSTALLED BY: DISTRIBUTOR CUSTOMER OTHER

CUSTOMER WILL FEED WRAPPER:

- ~ MANUALLY ~ AUTOMATICALLY ~ CHOKE FED ~ FIXED SPACE
- ~ IN LINE ~ RIGHT ANGLE ~ RANDOM SPACE

PRODUCT SKETCH: SELECT PRODUCT ORIENTATION FROM CUSTOMER CONVEYOR AND DIRECTION OF PRODUCT FLOW THROUGH THE WRAPPER



PRODUCT FLOW



Left to Right



Right to Left

ADDITIONAL INFORMATION AND COMMENTS:

PREPARED BY: _____
SIGNATURE: _____

PHONE#: _____
DATE: _____

Extreme Side Seal Film Width for Square or Rectangular Product up to 3" Tall
Product Width + Product Height + 2" = CF width (x2 for SW width)

Extreme Side Seal Film Width for Square or Rectangular Product 3-6" Tall
Product Width + Product Height + 3" = CF width (x2 for SW width)

Extreme Side Seal Film Width for Square or Rectangular Product 7-12" Tall
Product Width + Product Height + 4" = CF width (x2 for SW width)

Extreme Side Seal Film Width for Cylindrical Products
 $3.14 \times \text{diameter} + \text{diameter} = \text{Single wound width}$ (x 0.5 for CF width)

Extreme Lap Seal Film Width Formula for Rectangular Products
 $(2)(\text{Product width plus } 0.5") + (2)(\text{Product Height plus } 0.25") + 1.5" = \text{SW width}$

For Extreme Packaging Machinery Use Only